

SUPPLEMENT TO

The Gazette



of India

No. 28]

NEW DELHI, SATURDAY, JULY 9, 1949

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 28th May, 1949

INDIA							Bombay						
CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE		
C	D	C	D	C	D		C	D	C	D	C	D	
INDIA							Bombay						
adras							Bombay						
Vizagapatam	7	5	Bombay	16	14
Chicacole .	41	1	18	1	Ahmedabad	19	5
East Godavari	17	10	13	3	Kaira .	4	3	15	8
West Godavari	20	12	11	Broach	9	3
Kistna	31	7	Panoh Mahals	8	2
Guntur	7	4	Surat	4
Nellore .	5	1	37	6	Thana	21	5
Uddapah	2	1	Bombay Suburban	1
Kurnool	49	11	Ahmednagar	20	12	32
Bellary	33	7	East Khandesh	30	3
Anantapur	49	4	West Khandesh	3
Madras .	18	..	11	3	Nasik .	16	9	2
Chingleput .	70	40	Poona .	2	1	7	4	3	..
Chittoor .	6	1	2	Satara	22	1
North Arcot .	84	43	1	Sholapur	15	3
Salem .	58	30	3	1	Belgaum
Coimbatore .	38	31	6	Bijapur	18	1
South Arcot	Dharwar	4	2
Tanjore	Kanara
Trichinopoly.	18	10	4	2	Ratnagiri	32	2
Madura	Kolaba	5
Ramnad	Dangs
Tinnevelly	Kolhapur .	11	3	10	2
Nilgiris	1	Baroda	8	7
Malabar	2	2	Total .	62	28	281	62	3	..
South Kanara	14	2	*(Estd. pop. 22,752 thousands)						
Total	375	197	301	59	Total for w/e 21-5-49.	99	42	272	57	2	..
*(Estd. pop. 52 813 thousands)							Total for w/e 14-5-49 .	115	52	302	93	3	..
Total for w/e 21-5-49 .	366	179	314	78	3	2	7 yearly mean for the week .	171	76	239	42	4	3
Total for w/e 14-5-49	291	136	519	88	1	1							
7-yearly mean for the week	140	77	353	67	4	2							

Explanation of symbols used :--C=Cases ; D=Deaths.
* Population given is as at the beginning of the year.

20

20

20

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India and some of the Indian States during the week ending the 28th May, 1949—*contd.*

CHOLERA						SMALLPOX						PLAGUE											
D						C						D											
STATES & UNIONS												Hyderabad State											
Madhya Bharat												Nanded.											
Dewas	5	2				
Guna	1	1	9	3				
Rajgarh	4	3	7	1				
Shivpuri	10	8	2				
Ujjain	3	1	4				
Total	23	5	17	5	8	2				
Rajasthan												Karoemnagar.											
Jaipur.	30	9	4				
Jodhpur.	31	7	5	1				
Total	67	16	1				
Saurashtra												Nalgonda.											
Madhya Saurashtra	30	2	1				
Halal.	3	2				
Zalawad.	5	1				
Gohilwad.	6	2				
Total	44	5	1				
Assam States												Mahbubnagar.											
Tripura State.	.	1	4				
Manipur State.	.	6	3	1				
Total.	7	3				
Cochin State												Secunderabad.											
Cochin State.	1	..	2				
Total.	1	..	2				
												Total											
												18 5 47 10											
												Kashmir State											
												Kathua 1											
												Total 1											
												Mysore State											
												Bangalore. . . . 41 7 1 2											
												Hassan. . . . 8 1											
												Kolar. . . . 1 1											
												Mandya. . . . 1											
												Mysore. . . . 4 2											
												Tumkur. . . . 6 1											
												Total 56 9 5 5											
												Travancore State											
												Total . . . 1											
												Grand Total for States and Unions 25 8 239 45 5 5											
												Grand Total for India and States and Unions 1,789 911 1,460 344 87 30											
												TYPHUS											
												No report of any case of Typhus was received during the week											

TYPHUS

No report of any case of Typhus was received during the week.

NEW DELHI (3) INDIA ; }
The 28th June, 1949. }

M. W. M. YEATTS,
Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Are now available in three different series, maturing after 5, 7 and 12 years. The certificates yield 3%, 3½% and 4-1/6% simple interest respectively, at maturity. The 12 years certificates increase your money by 50% but if necessary can be encashed after 18 months (Rs. 5/- certificates after 12 months). The 5 and 7 years certificates can be encashed at any time.

National Savings Certificates are obtainable in denominations of 5, 10, 50, 100, 500, 1,000 and 5,000 and you can invest upto Rs. 25,000 in them (inclusive of any Post Office cash certificates held).

Full particulars obtainable from all post offices, District Organisers of the Small-Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers or the National Savings Commissioner, Simla.

TODAY'S SAFEST AND MOST PROFITABLE INVESTMENT

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 28th May 1949.

Town	Mid-1949 Popn-Est. (000)	Deaths from :—										D.R.*
		B	B.R.*	C	S	P	F	D.D	R.D.	Total		
A.—INDIA												
Madras Presidency												
Adoni	35	22	32.3	2	8	11.7	
Ambur	38	15	20.6	2	2	1	0	8.2	
Aruppukottai	36	36	52.1	5	4	3	22	31.8	
Bellary	63	34	27.9	2	5	27	22.2	
Cannanore	35	23	34.2	2	1	2	15	22.3	
Coimbatore	160	117	38.1	3	10	9	60	19.5	
Cuddalore	62	49	41.1	2	5	8	31	26.0	
Dindigul	67	61	47.5	1	1	1	22	17.1	
Eluru	71	28	20.4	4	3	4	31	22.6	
Erode	44	40	46.9	2	..	2	14	16.4	
Guddiyattam	31	36	47.6	3	6	3	24	31.7	
Guntur	99	83	43.6	..	1	..	4	4	11	42	22.1	
Kakinada †												
Kancheepuram	82	67	42.3	1	1	9	6	36	20.7	
Kozhikode	149	151	52.7	7	6	19	82	28.6	
Kumbakonam	71	69	50.6	1	1	3	22	16.1	
Kurnool †												
Madras	998	862	44.9	..	3	..	50	78	197	647	33.7	
Mangalore	93	97	54.2	..	2	..	4	..	5	35	19.6	
Masulipatam	61	23	19.6	2	1	..	21	17.9	
Mathurai	287	279	49.7	7	11	38	147	26.7	
Mayuram	33	50	78.0	1	2	..	14	21.9	
Melapalayam	32	24	14.5	4	..	4	12	7.3	
Negapatnam	57	55	50.5	1	..	4	27	24.8	
Nellore	65	69	55.2	..	1	..	5	5	7	45	36.0	
Palamcottah	34	26	40.3	2	3	19	29.5	
Palghat	60	67	57.8	2	1	7	33	28.5	
Rajahmundry	84	44	27.3	..	1	5	6	40	24.8	
Rajapalayam	53	46	45.5	1	3	..	22	21.7	
Salem	153	155	52.8	5	4	17	63	21.5	
Srivilliputtur	37	30	42.7	1	3	2	18	25.6	
Tanjore	70	63	46.7	4	4	8	39	22.9	
Tellicoerry	41	33	41.6	1	1	3	18	22.7	
Tenali	46	28	32.1	..	1	..	2	..	1	10	11.5	
Tiruchirappalli	174	142	42.6	6	1	11	72	20.5	
Tirunelveli	64	51	41.7	2	9	31	25.3	
Tiruppur†												
Tiruvannamalai	38	29	39.3	2	14	19.0	
Tuticorin	88	69	40.6	2	1	4	25	14.7	
Vellore	83	89	55.5	8	7	43	26.8	
Vijayavada	108	54	26.1	..	1	..	7	..	2	30	14.5	
Vinnyambadi	38	20	27.2	1	..	5	14	19.0	
Virudunagar	36	36	52.3	1	2	1	12	17.4	
Vizagapatam†												
Vizianagaram	58	45	40.6	3	1	2	18	26.2	
TOTAL	3,941	3,317	43.8	1	10	..	149	189	422	1,911	25.2	

*In case of towns where there have been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—
B=Births, B. R.=Birth rate, C=Cholera, S=Smallpox, P=Plague, F=Fevers, D. D=Dysentery and diarrhoea, R. D.=Respiratory diseases; D=Deaths; D. R.=Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the 28th May 1949—*contd.*

Name of Town	Mid-1949 popn-Est. (000)	Deaths from :—										Total	D.R.*
		B	B. R.*	C	S	P	F	D.D.	R.D.				
A.—INDIA—contd.													
Bombay													
Ahmedabad	836	436	27.5	...	2	...	251	4	45	501	31.4		
Ahmednagar	64	38	30.6	2	1	6	14	11.1		
Amalner	44	7	8.3	5	1	1	9	12.0		
Bardra	97	66	35.3	3	2	7	37	19.8		
Baroda city	184	154	43.7	...	3	...	58	6	17	115	32.6		
Barshi	41	19	24.2	9	21	26.7		
Belgaum	75	20	13.8	4	...	2	16	11.1		
Bhusawal	43	33	39.2	18	1	5	36	41.1		
Bijapur	57	28	25.7	2	1	10	9.2		
Bombay	1,764	962	28.4	...	14	...	41	34	180	772	22.8		
Broach	74	50	35.3	10	...	7	33	22.4		
Dharwar	54	17	16.4	1	1	9	8.7		
Dhulia	65	30	24.7	17	1	8	42	34.4		
Gadag Petgeri	65	29	22.7	8	...	4	25	18.3		
Godhra	48	11	12.0	2	...	1	5	5.5		
Hubli †		
Jalgaon	61	33	28.5	5	1	1	18	15.5		
Kalyan	36	14	21.5	1	1	2	9	13.8		
Kolhapur †		
Kurla	46	23	35.5	5	1	2	11	12.2		
Malegaon	40	24	31.2	8	1	3	15	19.2		
Nadiad	56	45	41.5	...	6	...	43	62	57.0		
Nasik	58	30	26.9	6	4	8	34	30.5		
Navsari city	45	21	24.5	9	11	12.9		
Pandharpur	37	19	25.2	...	1	...	3	3	4	18	25.0		
Parle Andheri	56	25	23.2	2	5	8	7.4		
Patan City	42	40	49.3	20	1	6	27	32.8		
Poona	307	213	36.1	1	1	...	28	5	18	120	20.3		
Satara	40	17	22.4	3	1	2	16	21.1		
Sholapur	260	144	28.8	22	2	33	102	20.4		
Surat	232	153	33.5	...	3	...	19	7	26	86	17.8		
TOTAL	4,817	2,701	29.2	1	30	...	600	82	396	2,182	23.6		
Bengal West													
Asansol†		
Bally	67	5	3.9	2	1	...	6	4.7		
Bankura	59	4	3.5	1	1	2	1.5		
Baranagar	69	20	15.1	2	1	...	4	22	16.6		
Berhampur	53	5	4.9	7	1	2	16	15.6		
Bhatpara	144	28	10.2	1	13	...	8	43	15.6		
Budge-Budge	39	3	4.0	1	1	3	2.7		
Burdwan	82	8	5.1	3	3	3	14	8.9		
Calcutta	2,896	752	13.5	17	10	5	103	71	154	708	12.7		
Champdani	37	15	21.0	2	2.8		
Garden-Reach	110	36	17.1	1	8	4	1	24	11.4		
Hooghly-Chinsura †		
Howrah	508	89	9.1	5	3	...	11	18	49	146	15.0		
Kamarhati	53	8	7.9	2	3	...	8	7.9		
Krishnagar	38	2	2.7	1	3	4.1		
Midnapur	52	11	10.9	2	...	9	8.9		
Nabadwip	40	16	20.7	4	2	...	7	6	1	21	27.1		
Naihati	52	3	3.0	1	1	2	7	7.1		
Serampur	69	9	6.8	8	4	5	23	16.6		
South Suburban †		
Titagarh	64	29	23.6	1	15	1	1	18	14.7		
Tollygunj	87	13	7.8		
TOTAL	4,519	1,056	12.2	33	15	5	180	117	227	1,073	12.3		

Explanation of symbols used :—

B=Births; B. R.=Birth rate; C=Cholera; S=Smallpox; P=Plague; F=Fever; D.D.=Dysentery and Diarrhoea;
R. D.=Respiratory diseases; D. R.=Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000, in the provinces of India and some of the Indian States for the week ending the 28th May 1949—*contd.*

Deaths from :—

Name of town	Mid-1949 popn.-Est (000)	B	B-R*	C	S	P	F	R-D.	Total	D.R*
United Provinces										
A.—INDIA—<i>contd.</i>										
Agra	301	258	44.8	..	3	..	6	11	92	105
Allahabad	307	95	16.2	1	1	25	55
Amroha	65	41	32.8	7	5	7	33
Bahraich	45	21	24.3	4	2	2	15
Balrampur	49	12	20.7	2	4
Banaras	301	125	21.6	1	80	16	20	197
Bareilly	219	135	32.1	28	10	34	88
Budaun	58	33	29.9	9	1	7	27
Dehra Dun	71	69	50.6	3	1	5	23
Etawah	58	40	35.8	20	4	11	57
Fajzabad-Ajodhya	55	28	26.4	12	4	10	31
Farrukhabad-Fatehgarh	62	32	26.8	11	4	4	29
Ferozabad	54	31	30.1	..	4	..	11	4	1	24
Ghazipur	35	13	19.6	7	..	1	10
Gorakhpur	106	31	15.3	13	3	8	29
Hapur	41	27	34.4	10	1	..	13
Hardwar-Union	47	26	28.8	1	19	3	3	42
Hathras	53	45	44.3	34	3	5	60
Jaunpur	51	24	24.6	4	..	3	12
Jhansi	85	60	30.9	44	2	3	50
Kanpur	630	261	21.6	1	1	..	97	30	27	253
Khurja	39	21	28.2	2	..	1	11
Koil-Aligarh	137	35	19.4	..	3	..	15	..	2	26
Lucknow	443	275	32.4	..	4	..	65	25	26	202
Mathura	90	57	33.0	21	5	8	54
Meerut	130	93	34.0	15	6	14	58
Mirzapur-Vindhyachal	79	44	29.0	4	4	4	27
Moradabad	169	85	26.2	8	5	20	70
Muzaffarnagar	56	28	25.9	7	1	1	12
Pilibhit	51	30	30.5	16	6	5	38
Saharanpur	128	69	28.1	34	4	11	61
Sambhal	62	52	43.8	..	3	..	22	4	5	40
Shahjahanpur	128	75	30.6	..	1	..	39	3	5	58
Sitapur	35	23	34.2	..	2	..	16	1	1	22
TOTAL	4,249	2,294	28.1	3	21	..	686	169	371	1,806
Punjab, East										
Ambala	51	24	24.3	1	1	6
Amritsar	495	219	23.1	17	12	27	129
Batala	54	23	22.3	6	..	1	10
Bhiwani	51	27	27.8	10	..	5	25
Fazilka	36	8	11.4
Ferozepore	47	17	18.9	1	3	3	13
Hissar	31	12	19.9	5	6
Hoshiarpur †	142	57	21.0	9	..	1	18
Jullundur
Karnal	46	18	20.2	9	1	1	16
Ludhiana	148	70	24.7	11	..	4	25
Moga	36	7	10.1	2	4
Paipat	42	17	21.1	4	5
Rewari †
Rohtak	59	47	41.6	5	..	2	9
TOTAL	1,238	546	22.2	1	80	16	..	266

Explanation of symbols used :—

B=Births, B. R.=Birth rate; C=Cholera; S=Smallpox; P=Plague; F=Fevers; D. D.=Dysentery and Diarrhoea, R; D.=Respiratory diseases; D. R.=Death rate;

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the Provinces of India and some of the Indian States for the week ending the 28th May 1949—*contd.*

Deaths from :—												
Name of town	Mid-1949 Pop. Est. (000)	B	B.R.*	C		P	F	D.D.	R.D.	Total	D.R.*	
A—INDIA.— <i>conold.</i>												
Return not received												
Bihar												
Central Provinces and Berar												
Akola	75	39	27.0	5	3	...	21	14.6	
Amraoti	75	85	59.3	5	1	1	27	18.8	
Bilaspur †												
Burhanpur	62	42	35.1	..	1	...	11	1	1	26	21.7	
Ohanda †												
Damoh †												
Ellichpur	34	30	46.1	3	1	1	9	13.8	
Hinganghat †												
Jubbulpore	170	60	18.3	..	6	..	11	2	7	44	13.4	
Khandwa	42	27	33.7	8	..	2	20	24.9	
Nagpur	293	120	21.3	..	1	..	48	7	10	110	19.5	
Nagpur Civil Station	82	56	35.7	11	..	5	27	17.2	
Raipur	79	22	14.6	5	..	2	7	4.6	
Saugor †												
Wardha †												
Yeotmal	31	14	23.3	8	16	26.7	
TOTAL	943	495	27.3	—	8	—	115	15	29	307	16.9	
Assam												
Information under verification												
Orissa												
Berhampur	48	40	42.8	7	2	...	20	21.4	
Cuttack	82	67	42.9	1	6	1	1	38	24.3	
Puri	44	31	36.9	6	9	3	33	39.3	
TOTAL	174	138	41.2	1	19	12	4	91	27.2	
Ajmer Merwara												
Ajmer	170	70	21.4	..	4	..	33	2	7	56	17.1	
Beawar	44	16	19.0	..	4	..	21	1	3	33	39.3	
TOTAL	214	86	20.9	..	8	..	54	3	10	89	21.6	
Delhi												
Delhi city	667	305	23.8	..	14	..	98	12	31	206	16.1	
New Delhi	118	120	53.0	5	..	4	55	24.3	
TOTAL	785	425	38.2	..	14	..	103	12	35	261	17.3	
B.—UNIONS AND STATES												
Patiala and East Punjab States												
Patiala	82	38	24.1	19	4	..	31	19.6	
Rampur †												
TOTAL	82	38	24.1	19	4	..	31	19.6	
Rajasthan Union												
Bikaner †												
Jaipur	198	65	17.1	66	10	5	143	37.5	
Jodhpur City	154	†	†	2	8	2.7	
Udaipur	71	6	4.4	..	2	..	4	14	10.3	
TOTAL	423	71	8.7	..	2	..	70	10	7	165	20.8	
Saurashtra Union												
Jamnagar City	85	69	42.2	..	4	..	19	3	3	40	24.4	
Junagadh	73	25	17.8	..	4	..	29	..	2	48	34.2	
Porbandar	61	7	6.0	15	1	..	24	20.5	
TOTAL	219	99	23.7	..	8	..	63	4	5	112	26.8	

Explanation of symbols used :—

B=Births ; B. R.=Birth rate ; C=Cholera ; S=Smallpox ; P=Plague, F=Fever ; D. D.=Dysentery and diarrhoea ; R. D.=Respiratory diseases ; D. R.=Death rate.

† Figures not available.

Births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the 28th May 1949—*conold.*

		Deaths from :—											
Town		Mid-1949 Popn-Est. (000)	B	B.R.*	C	S	P	F	D.D.	R.D.	Total	D.R.	
Cochin State													
Ernakulam	.	55	36	34.0	2	1	1	17	16.1	
Mattancheri	.	65	50	40.3	2	..	5	15	12.1	
Trichur	.	67	60	53.4	3	3	..	12	9.3	
TOTAL	.	187	155	43.1	7	4	6	44	12.2	
Mysore State													
Bangalore City	.	312	264	44.0	..	2	..	2	21	241	48	24.7	
Kolar Gold Fields	.	174	135	56.5	5	13	7	60	25.1	
Mysore City	.	187	113	36.9	..	2	..	18	10	..	72	23.5	
TOTAL	.	673	512	39.6	..	4	..	25	44	31	280	28.4	
Travancore State													
Alleppey	.	67	31	24.2	2	1.6	
Kottayam	.	40	23	29.8	1	7	10.4	
Nagercoil	.	59	45	39.7	3	1	..	13	11.5	
Trivandrum	.	155	139	46.5	5	4	8	49	16.4	
Quilon	.	63	62	51.5	1	1	2	15	12.5	
TOTAL	.	384	300	40.6	10	6	10	86	13.0	

ARREAR RETURNS

Bihar		ARABIAN RETURNS										
	For w/e											
Dinapur Nizamat	5-2-42	35	5	7.3	1	3	4.4
"	19-2-49	35	9	13.2	3	1	1	6	8.8
Monghyr	5-2-49	72	7	5.1	2	4	2.9
"	2-2-49	72	9	6.5	3	4	2.9
"	19-2-49	72	4	2.9	4	1	..	2	7	5.1
"	19-3-49	72	5	3.6	3	1	1	7	5.1
"	20-3-49	72	2	1.5	6	0	4.4
Arrah	12-2-49	57	6	5.5	1	1	...	5	4.6
Bihar	20-2-49	61	9	7.7	4	1	..	5	4.3
"	5-3-49	61	6	5.1	7	9	7.7
"	12-3-49	61	13	11.1	10	8.5
"	19-3-49	61	15	12.8	4	9	7.7
"	20-3-49	61	10	16.3	6	9	7.7
Muzaffarpur	12-3-49	63	11	9.0	3	5	4.1

C. P. AND BERAR

Saugor	9-4-49	61	34	29.0	..	20	6	11	46	39.3
	16-4-49	61	26	22.2	..	18	6	7	..	3	14	37.6
	23-4-49	61	22	18.8	..	16	7	7	44	37.6
	30-4-49	61	58	49.5	..	20	1	7	..	2	23	28.2
Damoh	9-4-49	32	18	29.1	..	4	..	18	45	73.1
	16-4-49	32	19	31.0	..	26	..	5	41	66.6
	23-4-49	32	26	42.4	..	11	..	12	37	60.1
	30-4-49	32	28	45.7	15	..	7	34	55.3
Khandwa	23-4-49	42	10	23.7	8	2	4	10	23.7
Burhanpur	23-4-49	62	41	34.2	6	4	4	25	20.9
Nagpur	14-5-49	293	119	21.1	65	6	13	100	17.8
"	7-5-49	293	115	20.4	95	5	221	91	33.0
Nagpur C. S.	7-5-49	82	49	31.3	..	4	..	7	..	2	23	14.7
"	14-5-49	82	62	39.6	..	2	..	16	1	3	34	21.7
Ellichpur	14-5-49	34	20	41.5	6	1	..	10	15.4

RAJSTHAN UNION

Bikaner	14-8-49	162	62	19.0	13	6	19	38	12.2
---------	---------	-----	----	------	----	----	----	----	---	----	----	------

MATSYA UNION

Alwar	30-4-49	59	13	11.4	..	3	..	7	1	1	34	29.9
-------	---------	----	----	------	----	---	----	---	---	---	----	------

Explanation of symbols used :—

B=Births, B. R.=Birth rate; C=Cholera; S=Smallpox; P=Plague; F=Fever; D.D.=Dysentery and Diarrhoea, R. D.=Respiratory diseases, D=Deaths, D. R.=Death Rate,—Figures not available.

REMARKS

The figures of births and deaths shown in this statement for week ending the 28th May 1949, relate to 171 towns with an estimated population of 22,848 thousands. The total number of towns is 213 and their population is 25,943 thousands. Thus 80% of the total number of towns representing 88% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 22,848 and 8,794 representing birth and death rates of 27.8 and 20.0 per thousand of the population respectively.

(A) *India*.—The data here relates to 153 towns with an estimated population of 20,880 thousands. The total number of towns is 189 and their population is 23,320 thousands. Thus 81% of the total number of towns representing 90% of the total population is covered. The number of births and deaths recorded in these towns were 11,058 and 8,076 representing birth and death rates of 27.5 and 20.1 per thousand of the population respectively. The following table gives the position by provinces —

Provinces	Current w/e 28-5-49		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Madras	43.8	25.2	45.8	28.8	36.0	25.2
Bombay	29.2	23.6	27.1	19.8	26.9	23.0
Bengal, West	12.2	12.3	11.2	15.7	9.2	13.8
U. P.	28.1	23.2	27.6	24.9	26.8	29.8
Punjab, East	22.9	11.2	9.2*	9.5*	19.7	18.2
C. P.	27.3	16.9	25.1	31.3	26.7	26.8
Orissa	41.2	27.2	35.9	20.8	31.4	20.3
Ajmer-Merwara	20.9	21.6	16.4	25.7	26.4	32.6
Delhi	28.2	17.3	12.7*	11.3*	24.4	21.1
India	27.5	20.1	24.9	21.0	23.1	21.9

May be specially incomplete due to civil commotion.

The towns of Nadiad in Bombay Province, Hathras and Etawah in U. P. recorded high death rates of 57.6, 58.9 and 51.1 per thousand of the population respectively. In Nadiad, Hathras and Etawah the numbers of deaths from fevers were high.

thousands. The total number of towns is 24 and their population is 2,623 thousands. Thus 75% of the total number of towns representing 75% of their total population is covered. The number of births and deaths recorded in these towns were 1,137 and 718 representing birth and death rates of 30.1 and 19.0 per thousand of the population respectively. No town recorded a high death rate of 50 or over per thousand of the population.

(B) *Indian States and Unions*.—The data here relates to 18 towns with an estimated population of 1,968

NEW DELHI 3 (INDIA):
The 28th June 1949

M. W. M. YEATTS,
Registrar General, India.